


max. clamping range  
(max. face thickness)

All measurements in 'mm'

Type	a	b	c
MZW4000/40	40	90	140
MZW4000/WL	Variable length = max 1000mm		



## SPECIFICATIONS

<b>Application:</b>	Outdoor, unprotected hands	<b>Electric Drive:</b>	230VAC 110 VA
<b>Max. Dial Diameter:</b>	4000 mm with light hands	<b>Slave Operation:</b>	Self-correcting via external DCF-GPS time code
<b>Motion of Hands:</b>	Creeping minute, creeping hour	<b>Case:</b>	Steel
<b>Gearing:</b>	Brass and stainless steel, self lubricating, maintenance-free	<b>Case Rating:</b>	Dust protected
<b>Second Hand Synchronisation:</b>	Not applicable	<b>Maintenance:</b>	Maintenance free
<b>Manual Time Setting:</b>	With optional on/off switch	<b>Life Expectancy:</b>	25 - 35 years depending on environmental conditions
<b>Shaft Diameter:</b>	Minute: 20mm Hour: 35mm	<b>Second Hand Revolutions:</b>	Not applicable
		<b>Approx. Weight:</b>	30 kg

JOB NO.:	DWG NO.:	TITLE: <b>Perrot MZW4000-GPS Self-Correcting German Long Life Slave Movement for max. 4000mm dials</b>	<p><b>Hertz Electronics</b> A.B.N. 69 086 651 014</p> <p>18 ROSE STREET, ANNANDALE NSW 2038 PH: -61-2 -8205 0575 FAX: -61 -2 -9571 9754 email address: sale@hertzelectronics.com.au hertz web site: www.hertzelectronics.com.au</p>
DATE:	SCALE: not to scale	CLIENT:	
DWN: <b>NM</b>	SIZE: <b>A4</b>	COPYRIGHT: The drawing remains the property of Hertz Electronics and may not be used, copied, or reproduced, in whole or part in any form without written permission.	